

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# MetroFlor Corporation

15 Oakwood Avenue, Norwalk, CT, United States

For the following product(s):

## Vinyl Floor Tile:

Aspecta - Aspecta Five, Aspecta Ten XXL (Added: May 31, 2016)

This product meets all of the necessary qualifications to be certified for the following claim:

### FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v3.0

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Registration # SCS-FS-03333

Valid from: March 1, 2016 to February 28, 2017

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA