

CLASSIFICATION: 09 65 00

created via: HPDC Online Builder

**PRODUCT DESCRIPTION:** Aspecta® Ten, the latest innovation from Metroflor, consists of three primary layers: 3.0mm Luxury Vinyl Tile (LVT) top layer that matches the look of natural textures, while providing durability and comfort; 5.0mm ISOCORE Technology® - an extruded, closed-cell, vinyl structural core that's 100% waterproof, rigid, strong, and dimensionally stable; and a 2.0mm pre-attached underlayment that minimizes sound, provides warmth and comfort underfoot, and helps further conceal minor subfloor imperfections. Aspecta® Ten also features DropLock 100™ - a quick-and-easy drop-and-lock installation system. Aspecta® Ten Multilayer Modular Flooring is phthalate-free, formaldehyde-free, and made from 100% virgin vinyl. With a 10.0mm gauge, 28mil wear layer, and an enhanced ceramic bead finish, Aspecta® Ten is backed by a 25-year, non-prorated commercial warranty and an unparalleled 10-year, prorated labor warranty. Note - this HPD does not apply to Aspecta® Ten XXL - Crescent Oak.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  Yes  No  
Percent Weight and Role Provided?

**Screened**  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

**Identified**  Yes  No  
Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

ASPECTA TEN - MULTILAYER MODULAR FLOORING [ CALCIUM CARBONATE **BM-3** POLYVINYL CHLORIDE (PVC) **LT-P1** | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE **BM-3** POLYETHYLENE **LT-UNK** METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE **LT-UNK** RUTILE TITANIUM DIOXIDE **LT-1** | CAN CALCIUM STEARATE **LT-UNK** ZINC STEARATE **LT-P1** IRON OXIDE **LT-UNK** POLYURETHANE FOAMS **LT-UNK** BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE **LT-UNK** PETROLEUM RESINS **LT-1** | CAN CARBON BLACK **LT-1** | CAN SODIUM BICARBONATE **LT-P1** | END TRIMETHYLOLPROPANE TRIACRYLATE **LT-UNK** | EYE | SKI | RES 1,6-HEXANEDIOL DIACRYLATE **LT-P1** | EYE | SKI | MUL LANTHANUM(3+) STEARATE **NoGS** 1-BUTENE, HOMOPOLYMER **LT-UNK** HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) **LT-1** | CAN | MUL FUMED SILICA, CRYSTALLINE-FREE **LT-UNK** ]

Number of Greenscreen BM-4/BM3 contents..... 2  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore  
Multi-attribute: NSF/ANSI 332

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-10-30

PUBLISHED DATE: 2018-02-17

EXPIRY DATE: 2020-10-30



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### ASPECTA TEN - MULTILAYER MODULAR FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Aspecta® Ten does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have 1) Disclosed all known, intentionally-added ingredients; 2) Tested Aspecta® Ten to ensure it is free of Red List Heavy Metals, Phthalate-Free, Formaldehyde-Free, complies with REACH SVHC, and meets VOC Emissions/Indoor Air Quality requirements per FloorScore / California Section 01350.

OTHER PRODUCT NOTES: All known intentional ingredients of Aspecta Ten are disclosed in this HPD.

#### CALCIUM CARBONATE

ID: 471-34-1

#: 48.5208 - 51.4808 GS: BM-3 RC: None NANO: No ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

#: 36.2879 - 39.7279 GS: LT-P1 RC: None NANO: No ROLE: Polymer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

#: 4.3207 - 4.7207 GS: BM-3 RC: None NANO: No ROLE: Plasticizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

**POLYETHYLENE**

ID: 9002-88-4

#: <b>1.5810 - 1.5810</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Polymer</b>
---------------------------	-------------------	-----------------	-----------------	----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE**

ID: 25852-37-3

#: <b>1.5352 - 2.0152</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Modifier</b>
---------------------------	-------------------	-----------------	-----------------	-----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**RUTILE TITANIUM DIOXIDE**

ID: 1317-80-2

#: <b>0.6720 - 0.7200</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Pigment</b>
---------------------------	-----------------	-----------------	-----------------	----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: (Rutile) Titanium Dioxide (as airborne, unbound particles) is considered a carcinogen. (Rutile) Titanium Dioxide, as used in Aspecta Ten Multilayer Modular Flooring, is bound within the polymer matrix and is not able to become airborne and inhaled or ingested through normal product use. Thus, the hazards usually associated with (Rutile) Titanium Dioxide are not applicable to this product.

**CALCIUM STEARATE**

ID: 1592-23-0

#: <b>0.6678 - 0.9278</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Stabilizer</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**ZINC STEARATE**

ID: 557-05-1

#: **0.6678 - 0.9278**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Stabilizer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**IRON OXIDE**

ID: **1332-37-2**

#: **0.4416 - 0.4560**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Pigment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLYURETHANE FOAMS**

ID: **9009-54-5**

#: **0.4060 - 0.4210**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Polymer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE**

ID: **25038-32-8**

#: **0.1965 - 0.1965**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Adhesive Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also known as Thermoplastic Rubber

**PETROLEUM RESINS**

ID: **64742-16-1**

#: **0.0756 - 0.0756**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Adhesive Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Also known as Hydrocarbon Resins, Petroleum Resins are considered carcinogenic when ingested in their natural state, or when they are boiled and their fumes are inhaled (such as when used in the production of hot-melt adhesives, for example). Petroleum Resins, as used in Aspecta Ten Multilayer Modular Flooring, are bound within the adhesive layer between the ISOCORE layer and the underlayment, and are not able to be inhaled or ingested through normal product use. Thus, the hazards usually associated with Petroleum Resins are not applicable to this product.

## CARBON BLACK

ID: 1333-86-4

%: <b>0.0658 - 0.0658</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Pigment</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Carbon Black (as airborne, unbound particles) is considered a carcinogen. Carbon Black, as used in Aspecta Ten Multilayer Modular Flooring, is bound within the polymer matrix and is not able to become airborne and inhaled or ingested through normal product use. Thus, the hazards usually associated with Carbon Black are not applicable to this product.

## SODIUM BICARBONATE

ID: 144-55-8

%: <b>0.0528 - 0.0864</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Foaming Agent</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: Sodium Bicarbonate (as airborne, unbound particles) is considered a potential endocrine disruptor. Sodium Bicarbonate, as used in Aspecta Ten Multilayer Modular Flooring, is bound within the polymer matrix and is not able to become airborne and inhaled or ingested through normal product use. Thus, the potential hazards usually associated with Sodium Bicarbonate are not applicable to this product.

## TRIMETHYLOLPROPANE TRIACRYLATE

ID: 15625-89-5

%: <b>0.0300 - 0.0600</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>UV Acrylic Layer</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes		
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin		
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact		
RESPIRATORY	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		

EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Trimethylolpropane Triacrylate (as a liquid) is considered a skin irritant and an eye irritant. Trimethylolpropane Triacrylate, as used in Aspecta Ten Multilayer Modular Flooring, is bound within the product and does not come into contact with the skin or eye through normal product use. Thus, the hazards usually associated with Trimethylolpropane Triacrylate are not applicable to this product.

### 1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

#: **0.0200 - 0.0250** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: 1,6-Hexanediol Diacrylate (as a liquid) is considered a skin irritant and an eye irritant. 1,6-Hexanediol Diacrylate, as used in Aspecta Ten Multilayer Modular Flooring, is bound within the product and does not come into contact with the skin or eye through normal product use. Thus, the hazards usually associated with 1,6-Hexanediol Diacrylate are not applicable to this product.

### LANTHANUM(3+) STEARATE

ID: 14741-67-4

#: **0.0187 - 0.0187** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Stabilizer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES:

### 1-BUTENE, HOMOPOLYMER

ID: 9003-28-5

#: **0.0150 - 0.0150** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: Also known as Polybutene

**HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES  
(MINERAL OIL)**

ID: 64742-54-7

#: **0.0126 - 0.0126** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - R-phrases	R45 - May cause cancer
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Hydrotreated Heavy Paraffinic Petroleum Distillates are considered carcinogenic when ingested in their natural state, or when boiled and their fumes are inhaled (such as when used in the production of hot-melt adhesives, for example). Hydrotreated Heavy Paraffinic Petroleum Distillates, as used in Aspecta Ten Multilayer Modular Flooring, are bound within the adhesive layer between the ISOCORE layer and the underlayment, and are not able to be inhaled or ingested through normal product use. Thus, the hazards usually associated with Hydrotreated Heavy Paraffinic Petroleum Distillates are not applicable to this product.

**FUMED SILICA, CRYSTALLINE-FREE**

ID: 112945-52-5

#: **0.0050 - 0.0150** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Also known as Silicon Dioxide Powder

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	FloorScore
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-12-01
APPLICABLE FACILITIES: All	EXPIRY DATE: 2018-11-30
CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/Metroflor_2017_SCS-FS-03808_s.pdf">https://www.scs-certified.com/products/cert_pdfs/Metroflor_2017_SCS-FS-03808_s.pdf</a>	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES:	

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-06-07

EXPIRY DATE: 2019-06-30

CERTIFIER OR LAB: SCS  
Global Services

APPLICABLE FACILITIES: Select

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/Metroflor\\_2018\\_SCS-RF-04041\\_s3.pdf](https://www.scs-certified.com/products/cert_pdfs/Metroflor_2018_SCS-RF-04041_s3.pdf)

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 Gold Certification

## + Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Aspecta® Ten is a floating Multilayer Modular Flooring and thus no adhesives are required/recommended for its installation. For more information, please refer to the Aspecta® Ten Professional Installation Guide available on our website ([www.aspecta flooring.com](http://www.aspecta flooring.com)).

## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: **Metroflor Corporation**ADDRESS: **15 Oakwood Avenue  
Norwalk CT 06850, USA**WEBSITE: **[www.aspecta flooring.com](http://www.aspecta flooring.com)**CONTACT NAME: **Arthur R. Clarke III**TITLE: **Environmental & Compliance Manager**PHONE: **(203) 561-9722**EMAIL: **[transparency@metroflorcorp.com](mailto:transparency@metroflorcorp.com)**

### KEY

**OSHA MSDS**

Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS**

Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity

## GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

## Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

---

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*