

**CLASSIFICATION:** 09 65 19

**PRODUCT DESCRIPTION:** Aspecta presents the innovative, patented Aspecta™ Contours collection: a conceptual, boutique-style collection of large-scaled patterned flooring with Superb design quality built on the foundation of the resilient flooring leader's ISOCORE Technology™. Aspecta Contours collection consists of the shapes "Chantilly", "Chambord", "Versailles", and "Tarascon". Aspecta Contours is an 8 mm Multilayer Modular Flooring, which features a 0.55 mm wear layer coated with Aspecta's proprietary Duraspect Extreme Surface Protectant™ for unrivaled abrasion resistance and stain repellency. A pre-attached HDPE underlayment provides sound mitigation and enhanced comfort underfoot. Aspecta Contours is suitable for application in both residential and commercial market segments.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**ASPECTA CONTOURS - MULTILAYER MODULAR FLOORING [ CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK POLYETHYLENE LT-UNK RUTILE TITANIUM DIOXIDE LT-1 | CAN CALCIUM STEARATE LT-UNK ZINC STEARATE LT-UNK POLYURETHANE FOAMS LT-UNK IRON OXIDE LT-UNK PETROLEUM RESINS (HYDROCARBON RESINS) LT-1 | CAN SODIUM BICARBONATE LT-P1 | END BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) LT-UNK CARBON BLACK LT-1 | CAN DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI) LT-1 | PBT | CAN | MUL 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL PENTAERYTHRITOL ROSINATE LT-UNK HIGH-IMPACT POLYSTYRENE LT-UNK LANTHANUM(3+) STEARATE NoGS TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) LT-UNK | RES | CAN | SKI | EYE FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER) LT-P1 | CAN DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL- (DIVINYLTETRAMETHYLDISILOXANE) LT-UNK HYDROXYCYCLOHEXYL PHENYL KETONE LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-01-10

PUBLISHED DATE: 2020-01-10

EXPIRY DATE: 2023-01-10



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### ASPECTA CONTOURS - MULTILAYER MODULAR FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Aspecta™ Contours does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices , we have: 1) disclosed all known, intentionally-added ingredients; 2) tested Aspecta Contours to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of Aspecta Contours are disclosed in this HPD.

#### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-10

#: 47.32 - 49.61

GS: BM-3

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-10

#: 39.35 - 41.38

GS: LT-P1

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-10

#: 3.01 - 3.30

GS: BM-3dg

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

### METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **2.02 - 2.21** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **1.12 - 1.12** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Polymer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### RUTILE TITANIUM DIOXIDE

ID: 1317-80-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **0.85 - 0.86** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
--------	-----------------------------------	-------------------------

CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
--------	------------------	--

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
--------	------	--

CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
--------	-----	--

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspecta flooring.com](http://aspecta flooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspecta flooring.com](http://aspecta flooring.com).

**CALCIUM STEARATE**

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**%: **0.81 - 0.83**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

**ZINC STEARATE**

ID: 557-05-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**%: **0.81 - 0.83**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

**POLYURETHANE FOAMS**

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**%: **0.79 - 0.84**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

**IRON OXIDE**

ID: 1332-37-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**%: **0.54 - 0.55**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

**PETROLEUM RESINS (HYDROCARBON RESINS)**

ID: 64742-16-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**

%: **0.15 - 0.19** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

### SODIUM BICARBONATE

ID: **144-55-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **0.09 - 0.11** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Foaming Agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

### BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)

ID: **25038-32-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **0.08 - 0.13** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### CARBON BLACK

ID: **1333-86-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-01-10**

%: **0.05 - 0.05** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

### DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)

ID: 64742-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

#: **0.04 - 0.08** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

### 1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

#: **0.04 - 0.05** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspecta flooring.com](http://aspecta flooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspecta flooring.com](http://aspecta flooring.com).

### PENTAERYTHRITOL ROSINATE

ID: 8050-26-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

#: **0.02 - 0.06**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### HIGH-IMPACT POLYSTYRENE

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

#: **0.02 - 0.06**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Adhesive Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### LANTHANUM(3+) STEARATE

ID: 14741-67-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

#: **0.02 - 0.02**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:



**TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA)**

ID: 15625-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**

%: <b>0.02 - 0.05</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>UV Acrylic Layer</b>
-----------------------	-------------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

**FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER)**

ID: 112945-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**

%: <b>0.01 - 0.03</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>UV Acrylic Layer</b>
-----------------------	------------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. Aspecta Contours has been tested for both safety and performance in accordance with industry standards, as detailed in the Technical Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com). Additional information about the sustainable attributes of this product can be found on the Environmental Data Sheet available at [aspectaflooring.com](http://aspectaflooring.com).

**DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL-(DIVINYLTETRAMETHYLDISILOXANE)**

ID: 2627-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-10**

%: <b>0.01 - 0.02</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>UV Acrylic Layer</b>
-----------------------	-------------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-10**

%: **0.01 - 0.01**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/EXT1\\_AspectaNA\\_2018\\_SCS-FS-03808\\_s4.pdf](https://www.scs-certified.com/products/cert_pdfs/EXT1_AspectaNA_2018_SCS-FS-03808_s4.pdf)

ISSUE DATE:

**2018-12-01**

EXPIRY

DATE:  
**2020-01-31**

CERTIFIER OR LAB:

**SCS Global Services**

CERTIFICATION AND COMPLIANCE NOTES: **FloorScore Certificate #SCS-FS-03808**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Aspecta Contours is a floating multilayer modular flooring and thus no adhesives are required/recommended for its installation. For more information, please refer to the professional installation manual.

**MANUFACTURER INFORMATION**

---

MANUFACTURER: **Aspecta N.A.**

ADDRESS: **15 Oakwood Avenue  
Norwalk CT 06850, USA**

WEBSITE: **www.aspectaflooring.com**

CONTACT NAME: **Arthur R. Clarke III**

TITLE: **Director of Sustainability**

PHONE: **(203) 299-3113**

EMAIL: **transparency@aspectaflooring.com**

**KEY**

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

**Recycled Types**

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

**Other Terms**

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*